

# CERTIFICATE OF CONFORMITY



## APPENDIX

To Certificate of Conformity Number: GIC/8870

RMC Producer:

### Anika Industri Konkrit Sdn Bhd

Lot 1380, Jalan Sawah, Kampung Sawah Batu Tiga 18500 Pekan Nanas, Johor,  
Malaysia

## Batching Plant 1

Issue Number : 01  
Date of Issue : 31 August 2023  
Cement : CEM I , 42.5R  
Aggregate : Granite, Dmax 20mm  
Admixtures : High Range water-reducing admixture

Table 1: Details of Concrete Product

S/N	Concrete Code	Strength Class	DC-Class	Max W/C	Min Cement Content( kg)	Chloride Content Class	Consistence Class (mm)
1.	DM8/15	C 45/55	DC-4z	0.45	360	Cl 0.20	100±30

Note: The family concept is not applied to concrete with strength classes higher than C55/67 for normal-weight and heavy weight concrete or LC55/60 for lightweight concrete

Amendments or additions to this appendix other than those authorized by Guardian Independent Certification Pte. Ltd. render the appendix invalid

Guardian Independent Certification Pte Ltd  
10 Ubi Crescent #04-24 Ubi Techpark, S 408564





# CERTIFICATE OF CONFORMITY

Certificate No. GIC 8870

Ready-Mixed Concrete Certification

**Anika Industri Konkrit Sdn Bhd**

Lot 1380, Jalan Sawah, Kampung Sawah Batu Tiga 81500 Pekan  
Nanas, Johor, Malaysia

**Batching Plant 1**

Lot 1380, Jalan Sawah, kampung Sawah Batu Tiga 81500 Pekan  
Nanas, Johor, Malaysia

For the product certification of

**Ready- Mixed Concrete  
(See Appendix for product details)**

Which has complied with the requirements of the scheme and based on  
the following:

**SS EN 206: 2014; SS 544: Part 1 & 2: 2019/ A1: 2021;  
SAC CT 06: 2019**

Date of Issue:  
31 August 2023

Date of Expiry:  
29 September 2025

Initial Certification:  
30 September 2016

Guardian Independent Certification Pte Ltd  
10 Ubi Crescent #04-24 Ubi Techpark, S 408564



PD-2013-14

