



CERTIFICATE OF CONFORMITY

APPENDIX

To Certificate of Conformity Number: GIC/8871

RMC Producer:

Anika Industri Konkrit Sdn Bhd

Lot 1380, Jalan Sawah, Kampung Sawah Batu Tiga 18500 Pekan Nanas, Johor, Malaysia

Batching Plant 2

Issue Number :01
 Date of Issue : 31 August 2023
 Cement : CEM I , 42.5R
 Aggregate : Granite, Dmax 20mm
 Admixtures : High Range water-reducing admixture

Table 1: Details of Concrete Product

| S/N | Concrete Code | Strength Class | DC-Class | Max W/C | Min Cement Content(kg) | Chloride Content Class | Consistence Class (mm) |
|-----|---------------|----------------|----------|---------|-------------------------|------------------------|------------------------|
| 1. | DM8/15 | C 45/55 | DC-4z | 0.45 | 360 | Cl 0.20 | 100±30 |

Note: The family concept is not applied to concrete with strength classes higher than C55/67 for normal-weight and heavy weight concrete or LC55/60 for lightweight concrete

Amendments or additions to this appendix other than those authorized by Guardian Independent Certification Pte. Ltd. render the appendix invalid

Guardian Independent Certification Pte Ltd
10 Ubi Crescent #04-24 Ubi Techpark, S 408564



GICG - ENABLING TRUST IN A CHANGING WORLD





CERTIFICATE OF CONFORMITY

Certificate No. GIC 8871

Ready-Mixed Concrete Certification

Anika Industri Konkrit Sdn Bhd

Lot 1380, Jalan Sawah, Kampung Sawah Batu Tiga 81500 Pekan
Nanas, Johor, Malaysia

Batching Plant 2

Lot 1380, Jalan Sawah, kampung Sawah Batu Tiga 81500 Pekan
Nanas, Johor, Malaysia

For the product certification of

**Ready- Mixed Concrete
(See Appendix for product details)**

Which has complied with the requirements of the scheme and based on
the following:

**SS EN 206: 2014; SS 544: Part 1 & 2: 2019/ A1: 2021;
SAC CT 06: 2019**

| | | |
|----------------------------------|--------------------------------------|---|
| Date of Issue: 31 August 2023 | Date of Expiry: 29 September 2025 | Initial Certification: 30 September 2016 |
|----------------------------------|--------------------------------------|---|

Guardian Independent Certification Pte Ltd
10 Ubi Crescent #04-24 Ubi Techpark, S 408564



PD-2013-14

